ENTRE/MATIC

UNIVERSAL

REMOTE & VOICE CONTROL

EASY TO INSTALL

Works with **IFTTT**

Works with **Apple HomeKit**

◯ amazon alexa
ONLY WORKS WITH **IFTTT**

works with the **Google** Assistant

Entrematic Smart Connect

EN

The perfect solution to control any automation
in a smart way

www.entrematic.com

Entrematic Smart Connect

Entrematic Smart Connect is the new Ditec Entrematic system to manage entrances via App or PC remotely or locally.
The hub, mounted close to the garage or gate operator, is the core of the system. Thanks to the embedded Wi-Fi 2.4 GHz (802.11 b/g/n) it can be connected to a W-LAN, alternatively to a LAN using a USB/Ethernet adapter and it can control up to 3 operators.
Wireless sensors send the status of the access: open, close, left open, obstruction.
By integrating the indoor-outdoor Wi-Fi-Ethernet Camera, it is possible to view HD real time video while managing the access. The system is not only perfect for new installation but also ideal for retrofit market.

USB type A to link
USB to Ethernet adapter

triple 5 VDC relais output
to connect
max 3 operators

embedded Wi-fi 2.4 GHz
(802.11 b/g/n)

**wireless
tilt sensor**
for sectional doors and
up-and-over doors.
IP 65 waterproof casing,
battery powered.

embedded Wi-fi 2.4 GHz
(802.11 b/g/n)

HD 720P

connections:
Ethernet
Audio out
Audio in

day/night
surveillance with
infrared LED

motion detection

**wireless
magnetic sensor**
for side sectional doors,
swing doors, roller
doors, sliding, swing
and folding gates.
IP 65 waterproof casing,
battery powered.

## FREE Entrematic Apps available on Play Store and App Store

Entrematic Smart Connect App:
- each hub controls up to 3 garage doors or gates
- real time video per door (2 fps)
- the app can manage many hubs at the same time
- door status, temperature and sensor battery
- log of events accessible in home screen
- pictures of garage/gate customizable

Entrematic CAM App:
- video monitoring
  (25 fps 50 Hz - 30 fps 60 Hz)
- push notifications
- video recording and snapshot

UNIVERSAL
for all gate manufacturers, for more operating systems

Not only with Ditec Entrematic automation!
Compatible with all competitor product range.
Wiring diagrams available on https://entrematic-smartconnect.com

Compatible with iOS and Android devices.
It works with all the browsers.

Connected to your smart home

Entrematic Smart Connect integrates with most popular Smart Home platforms.
Control your access like never before, with geofencing, voice commands and through scene creation.

MAKE YOUR HOME SMART
with Apple HomeKit

Works with Apple HomeKit

Entrematic Smart Connect is part of a home automation system.
Thanks to the App "Home" on your Apple device, you can make your home smart, creating scenario involving the different systems (lighting, temperature control, sound distribution, etc.).

VOICE CONTROL

Manage the automation
with a simple spoken command

**"Ok Google,
is the garage still open?"**

**"Hey Siri,
close the gate."**

**"Alexa,
close garage
door."**

INTEGRATION WITH
Home Assistant

works with the Google Assistant

Works with Apple HomeKit

amazon alexa
ONLY WORKS WITH **IFTTT**

GEOFENCING

Thanks to compatibility
with IFTTT, it is possible
to create personal applets:
for example, managing the
automatic proximity opening of the
automation by **configuring the GPS area**

Works with IFTTT

EASY
to install

EXCLUSIVE
features

Configure the system in four steps:
1 - install the Apps on the smartphone iOS / Android
2 - plug the Hub into the main
3 - follow the instructions on the display and automatically pair the device to the home network
4 - stick the wireless sensors to the gate or doors

Perfect for retrofit market!

**Dedicated website
and step-by-step guide on
https://entrematic-smartconnect.com**

Remote Access

Open, close and monitor
the garage or gate
from anywhere.

Status Notifications

Entrematic Smart Connect
system notifies when the door
is open, closed or left open!
Available also temperature
and battery condition alert.

Video Monitoring*

Watch and record each
garage door and gate when
not at home.
*IP Camera needed

User Management

Grant, deny and modify the
access to unlimited users
anywhere, anytime.
Restrictions by time,
door and location.

The Hub
Entrematic Smart Connect Device

110 mm

45 mm   110 mm


Indoor and Outdoor Camera
Entrematic Smart Cam

155 mm   65 mm

90,4 mm

42,4 mm

Wireless Tilt sensor
Recommended for sectional doors
and up-and-over doors

86 mm   90,4 mm

15 mm   42,4 mm

Wireless Magnetic sensor
Recommended for sliding gates, swing gates, folding gates,
side sectional doors, roller doors and swing doors

Example of installation

Automation for Gate

wireless magnetic sensor

Entrematic
Smart Connect
(inside)

Automation for Garage Door

Entrematic
Smart Connect

motor

wireless
tilt sensor